

PIXMA TS3660

 Cartridge

TECHNICAL SPECIFICATIONS



Canon

PIXMA TS3660

Cartridge



SMART SIMPLICITY

The PIXMA TS3660 is an excellent value home document, craft, and photo printer, packed into a compact and modern design. Print, scan, and copy effortlessly!



PUSH THE BORDERS

You can print borderless photos up to 5"x7" in size and print 4"x6" photos in just 65 seconds. Connect directly to your camera with Wi-Fi PictBridge technology. The PIXMA TS3660 offers sharp printing for text and photos. Stock up with Canon's Restickable Photo Paper and Magnetic Photo Paper and try out the creative options of Easy-PhotoPrint Editor and Creative Park.



FUNCTIONAL

The PIXMA TS3660 is equipped with a crystal-clear 1.5" mono segment LCD screen. The display screen provides clear and simple instructions and status updates for your prints, while the intuitive command panel enables to you control your prints across the process.



ACHIEVE SIMPLE SETUP WITH WIRELESS CONNECTIVITY

Printing, scanning, copying and connecting to the cloud has never been easier – simply connect to the Canon PRINT app or PIXMA Cloud Link to get underway. You can also print wirelessly directly from you mobile devices such as your smartphone, tablet, or laptop via AirPrint (iOS) or Mopria (Android)¹



1: AirPrint and Mopria are available for download via the Apple Store (iOS) and Play Store (Android).

What inks can I use with my printer?



Ink Yield
A4 document: 400
4"x6" photos: 3520



Ink Yield
A4 document: 180
4"x6" photos: 1445



Ink Yield
A4 document: 300
4"x6" photos: 90



Ink Yield
A4 document: 180
4"x6" photos: 55



PIXMA TS3660 SPECIFICATIONS

GENERAL FEATURES	
Model	PIXMA TS3660
Ink Type	PGBK CRG, Colour CRG (C/M/Y)
Maximum Print Resolution	4,800 dpi x 1,200 dpi*1
Size	Approx. 435 x 327 x 145 mm Approx. 17.2 x 12.9 x 5.8 inch
Weight	Approx. 4 kg Approx. 8.7 lbs
Display	1.5" / 3.7cm Segment LCD (Monochrome)
Interface	USB-B Hi-Speed
Connectivity	Wireless LAN 2.4GHz & 5GHz, Direct Connection (Wireless LAN)
Input Power	AC 100-240 V, 50 / 60 Hz
PRINT SPEED	
Document: Colour*2	Approx. 4.0 ipm
Document: Black & White*2	Approx. 7.7 ipm
Photo (4" x 6")*2	65 seconds
POWER CONSUMPTION	
OFF	Approx. 0.3 W
Copying*3 USB connection to PC	Approx. 9 W
Standby (MFP: scanning lamp is off) USB connection to PC	Approx. 0.8 W
Standby (all ports connected, MFP: scanning lamp is off)	Approx. 1.3 W
Time to enter Standby mode	Approx. 10 min 01 seconds
ENVIRONMENT	
Operating Environment*4	Temperature: 5 - 35 °C Humidity: 10 - 90 %RH (no dew condensation)
Recommended Environment*5	Temperature: 15 -30 °C Humidity: 10 - 80 %RH (no dew condensation)
Storage Environment	Temperature: 0 - 40 °C Humidity: 5 - 95 %RH (no dew condensation)
ACOUSTIC NOISE (PC PRINT)	
Quiet Mode	Available
Acoustic Noise (PC print) Plain Paper*6	Approx. 48.0 dB(A)
PRINT HEAD / INK	
Number of Nozzles	Total 1,280 nozzles (PGBK/C/M/Y: 320 nozzles)
Compatible Inks	PGBK: PG-645, PG-645XL Colour: CL-646, CL-646XL
PRINTABLE WIDTH	
	Up to 203.2 mm (8 inch), Borderless: Up to 127 mm (5 inch)

PIXMA TS3660

 Cartridge | SPECIFICATIONS

PRINTABLE AREA	
Borderless Printing*7	Top / Bottom / Right / Left margin: each 0 mm
Bordered Printing	LTR/LGL Top margin: 3 mm, Bottom margin: 5 mm, Left/Right margin: each 6.4 mm
Bordered Auto 2-Sided Printing	N/A
SUPPORT MEDIA	
Rear Tray	Plain Paper (64 g/m2 - 105 g/m2), Photo Paper Plus Glossy II (PP-301), Photo Paper Glossy (GP-701), Magnetic Photo Paper (MG-101), Restickable Photo Paper (RP-101)
Front Tray	N/A
PAPER SIZE	
Rear Tray	A4, A5, B5, LTR, LGL, 4" x 6", 5" x 7", Square (127 mm x 127 mm), Custom Size (width: 89 mm - 215.9 mm, length: 127 - 676 mm)
Front Tray	N/A
PAPER SIZE (BORDERLESS)*8	
	4" x 6", 5" x 7", Square (127 mm x 127 mm)
PAPER HANDLING (MAXIMUM NUMBER)	
Rear Tray	Plain Paper - A4/LTR: 60 4"x6" Photo Paper Plus Glossy II (PP-301), Photo Paper Glossy (GP-701): 20 5"x7" Photo Paper Plus Glossy II (PP-301): 10
Front Tray	N/A
PAPER WEIGHT	
Rear Tray	Plain Paper: 64 g/m2 - 105 g/m2, Canon paper: Max. paper weight Approx. 275 g/m2 Photo Paper Plus Glossy II (PP-301)
Front Tray	N/A
SCANNER FUNCTIONS*9	
Scanner Type	Flatbed
Optical Resolution*10	600 dpi x 1,200 dpi
Scanning Bit Depth (Input/Output)	Grayscale: 16 bit / 8 bit Colour: RGB each 16 bit / 8 bit
Maximum Document Size	A4 / LTR (216 x 297 mm)

PIXMA TS3660

Cartridge | SPECIFICATIONS

COPY FUNCTIONS

Maximum Document Size	A4/LTR (216 x 297 mm)
Compatible Media	Plain Paper (64 g/m ² - 105 g/m ²), Photo Paper Plus Glossy II (PP-301)
Image Quality	2 positions (Draft, Standard)
Multiple Copy	Black & White / Colour: max. 20 pages

PRINTING SOLUTION

Available for*12	AirPrint / Mopria / PIXMA Cloud Link / Canon PRINT app (for iOS / Android) / Camera Direct (WLAN)
Minimum System Requirements	Windows: Windows 11, Windows 10, Windows 8.1, Windows 7 SP1 Mac: MacOS v 10.15.7 ~ 14, iOS®, iPadOS, Android, ChromeOS

Contents



USB cable not included.

What's in the Box?

- Printer
- Power cord
- Ink cartridges setup
- CD setup
- Getting started guide

PIXMA TS3660 | DISCLAIMERS



*1: Ink droplets can be placed with a pitch of 1/4800 inch at minimum.

*2: Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

*3: Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. Specifications are subject to change without notice.

*4: The performance of the printer may be reduced under certain temperature and humidity conditions.

*5: For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.

*6: Acoustic Noise is measured based on ISO7779 standard with default setting.

*7: Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers

*8: The following media does NOT support borderless printing. : High Resolution Paper, T-Shirt Transfer, Photo Stickers

*9: TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.

*10: Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

*11: Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

*12: Resolution may be changed between Direct print and printing from PC.

Standard disclaimers:

- If your inkjet printer is found defective within the applicable manufacturer warranty period (1 Year), we'll replace it with the same, or an equivalent model. Excludes damage caused by external factors. Canon's full replacement promise is in addition to your rights under Australian Consumer Law which, depending on the type of fault, includes repair, replacement or a refund. For full terms see: www.canon.com.au/printassist or the card in the printer box. Only for products purchased at Authorised Canon Australia retailers
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- AirPrint and Mopria are available for download via the Apple Store (iOS) and Play Store (Android).
- USB cable not included.

Note:

A complete set of ink cartridges with ink available in each cartridge is required for all functions including copy, print and scan. Some functions (e.g. PIXMA Cloud Link, scan to cloud or scan to email) may not work unless genuine Canon inks are used and/or an internet connection is established.

Printzone.

1300 782 636

Canon

www.printzone.com.au

www.canon.com.au

www.canon.co.nz